



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

QA Testing

1 of 1

## Live Rosin Vape Juice Batch - CLB.260530-SRC-519

Sample ID: 26430

Strain: CLB.260530-SRC-519

Matrix: Concentrates & Extracts

Type: Rosin

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 06/07/2026

Batch#: LROZVP-CLB.260530-SRC-519

Client

Clubhouse Drops

Lic. #

14622 Ventura Blvd Ste 102

Sherman Oaks, CA 91403

### Summary

Test

Batch

Cannabinoids

Date Tested

Result

Complete

Complete

### Cannabinoids

Complete

65.430%

Total THC

0.194%

Total CBD

69.179%

Total Cannabinoids

| Analyte   | LOD   | LOQ   | Result  | Result  |
|-----------|-------|-------|---------|---------|
|           | mg/g  | mg/g  | %       | mg/g    |
| CBC       | 0.171 | 0.455 | 0.8129  | 8.129   |
| CBD       | 0.455 | 0.909 | 0.1943  | 1.943   |
| CBDa      | 0.341 | 0.909 | ND      | ND      |
| CBG       | 0.455 | 0.909 | 2.7419  | 27.419  |
| CBN       | 0.171 | 0.455 | ND      | ND      |
| Δ8-THC    | 0.341 | 0.909 | ND      | ND      |
| Δ9-THC    | 0.341 | 0.909 | 0.2562  | 2.562   |
| THCa      | 0.227 | 0.455 | 74.3141 | 743.141 |
| THCV      | 0.455 | 0.909 | ND      | ND      |
| Total THC |       |       | 65.430  | 654.297 |
| Total CBD |       |       | 0.194   | 1.943   |
| Total CBG |       |       | 2.742   | 27.419  |
| Total     |       |       | 69.179  | 691.787 |

Date Tested:

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, SOP-004

Water Activity: Water Activity Meter, SOP-012

Moisture Content: Moisture Analyzer, SOP-011

Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081

ISO/IEC 17025:2017

ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.

*Santa A. Pol*

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com

